

"Serving Those Who Serve The Very Best"

## 1-800-KEATING keatingofchicago.com



## KEATING COMMERCIAL COOKING EQUIPMENT PRICE LIST

Prices Effective: January 1st, 2019 to January 31st, 2020

Prices and specifications subject to change without notice. All orders accepted subject to government regulations and conditions beyond manufacturers control. Terms: Net 30 Days FOB Factory.



## **QUICK SHIP** Available for Immediate Shipment





## The products listed below are in stock and ready to ship

#### **FRYERS**:

PASTA

036350 10x11CM NAT GAS
03643510x11AA NAT GAS
03668810x11TS NAT GAS
03289114AA NAT GAS
03289518AA NAT GAS
03289314BB NAT GAS
03847118BB NAT GAS
032916 20BB NAT GAS, 2" DRAIN
06120224BB NAT GAS
03823214TS NAT GAS
06120418TS NAT GAS
06107120TS NAT GAS
03847224TS NAT GAS
036729 10x11TS 480/3
03656014CM TS 208-240/3
03638114BB 208-240/3
03934814TS 208-240/3
05290520TS 208-240/3
03695420TS 480/3
03651524TS 208-240/3

017251.....14 PASTA NAT GAS

014300 .....18 PASTA NAT GAS

018669 ......20 PASTA NAT GAS 025786 ......24 PASTA NAT GAS

001846 .....14 PASTA 208-240/3

BASKET	<b>RACKS:</b>
010424	10"

010434	
003915	24"
003916	

#### FILTERS:

037233	LB165
037260	LB200
002246	PC14
034321	SE14
034849	SE18
054310	SE24
036613	SE34x24

#### KEEP KRISP FOOD WARMERS:

0018941LX
0022112LOR
0019152LOX
0019392LB
0019824LB
0077372LCF
0077383LCF
0019774L
0020216LB

#### **SALTING & BAGGING STATIONS:**

#### PREP & SERVICE AREA:

033341.....18"

#### **GRIDDLES**:

032918	.24x30 FRT TR NAT GAS
032921	.36x30 FRT TR NAT GAS
034080	.36x36 FRT TR NAT GAS
033364	.42x24 NAT GAS
032269	.42x30 NAT GAS
033960	.42x30 FRT TR NAT GAS
032923	.48x30 NAT GAS
032885	.48x30 FRT TR NAT GAS
033267	.48x36 FRT TR NAT GAS
032924	.60x30 NAT GAS
032925	.60x30 FRT TR NAT GAS
032926	.72x30 NAT GAS
032927	.72x30 FRT TR NAT GAS
033438	.72x36 FRT TR NAT GAS
032189	.24x30 FRT TR 208-240/3
034170	.27x24 208-240/3
033022	.36x24 208-240/3
032187	.36x30 208-240/3
033104	.36x30 FRT TR 208-240/3
033464	.36x36 FRT TR 208-240/3
033107	.48x30 208-240/3
033660	.48x30 FRT TR 208-240/3
033243	.48x36 FRT TR 208-240/3
033292	.60x30 208-240/3
039580	.72x36 FRT TR 208-240/3

## NOTE: Non-stock and custom orders will be conf rmed with estimated ship date upon receipt of purchase order.

## Incredible Frying Machine<sup>™</sup> FRYERS

**Casters** Optional

Keating has combined innovation and simplicity with the most efficient technological breakthrough to bring you a line of frying systems so advanced that it can only be called:

#### **KEATING'S INCREDIBLE FRYING MACHINE (MODEL IFM)**

- Lowers energy costs by up to 40% (Documented independent studies show an annual operating cost of only \$164.00 for 14IFM)
- Dual spark gas ignition control
- Low NO<sub>X</sub> burner technology
- · Easy one button on/off operation
- Digital Timer
- · Dramatically cuts the expense of fat
- · Largest cold zone
- Instant-On<sup>™</sup> immediate thermostat response

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

**GAS MODELS** 

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 IFM	038402	79,000		79,000	38 lbs.	14" x 14"	46 1/2"	31 1/4"	15 3/8"	205 lbs.	\$7,200
18 IFM	038500	118,000		118,000	68 lbs.	18" x 18"	46 1/2"	35 1/4"	19 3/8"	240 lbs.	\$8,571
20 IFM	036611	118,000		118,000	100 lbs.	20" x 20"	46 1/2"	37 1/4"	21 3/8"	260 lbs.	\$10,000

CONTIN



#### **OPTIONS:**

Basket-Lift (BL)	\$1,925
Computer (CPU)	\$1,400
Drainboard S/S (12"D) 1st fryer, 18 IFM & 20 IFM \$	646.60
(On batteries, add \$16.00 for each additional drainboard inch after first fryer)	
Safe & Easy <sup>®</sup> Ready (SE)*	
14 IFM\$	770.00
18 IFM & 20 IFM\$	897.00
Security Package\$	577.00
039542, Casters (set of 4), 4 lbs	\$276
*See Safe & Easy <sup>®</sup> depths, page 12.	

#### ACCESSORIES:

For 14 Models, see page6
For 18 Models, see page7
For 20 Models, see page

#### Instant Recovery<sup>®</sup> is our trademark

The most important feature of any fryer is recovery time, and Keating's INSTANT RECOVERY<sup>®</sup> trademark means that every Keating fryer recovers its temperature before the end of the cooking cycle. The patented system of high input burners and large heat transfer surfaces assures quality foods every time.



#### MODEL AA (Gas Only)

- Available in gas only
- On-Off Switch
- Millivolt system
- Stainless Steel thermostat
- No electric connections required (except for batteries with filters)



- Power-On Switch
- Power-On Indicating Light
- Built-in Melt Cycle
- Built-In Meil Cyc
- Dual contactors (Electric)
- Stainless Steel thermostat
- Spark Ignition (Gas)



MODEL TS

- Power Switch
- Pilot-on Indicating Light (Gas)
- Built-in Melt Cycle
- · Ready to Cook light
- Over Max Temp safety light
- Two digital solid state timers
- Dual contactors (Electric)
- Stainless Steel thermostat
- Spark Ignition (Gas)

#### Use less BTU's

Our atmospheric fryers have been redesigned to use less BTU's and still have the same performance levels. Why did we do this? To save our customers \$\$ in gas consumption.

#### **STANDARD FEATURES:**

- · Stainless Steel vessel and cabinet
- Stainless Steel heat transfer tubes or heating elements
- Stainless Steel thermostat
- Spark Ignition (BB and TS Gas Models)
- Extra large Cold Zone
- Stainless Steel High Limit control
- One pair of baskets
- Grid Screen over tubes
- Temperature control system ±2°F
- 3/4" gas connection on single fryers
- · Safety pilot shut-off
- · Full port front drain valve
- Drain clean-out rod
- Legs with adjustable feet
- 35" working height on floor models
- Sample of Keating Klenzer

#### Save on oil

Keating Instant Recovery<sup>®</sup> fryers are designed to fry at lower temperatures, between 325°F and 335°F, reducing oil breakdown. They are the only fryers built with a #7 highly polished stainless steel vessel and a true cold zone which captures and holds frying crumbs/debris. These features plus our filtering systems extend the life of your fat up to 30%.

#### **OPTIONS:**

- Fryers batteried at no additional charge
- Common gas manifold for batteries at no additional charge
- Cooking computer
- Basket-Lift on 14 TS thru 24 TS fryers
- Stainless Steel drainboards on fryer batteries (Call for pricing)
- Filter choices: Central, Portable, Safe & Easy® Under Fryer
- 2" extra large drain valve on 18" or larger fryers, single units only (see pages 7 9)
- Front extensions to match larger fryers (Call for pricing)
- Manufactured gas models
- Polyurethane casters with brakes
- Security package
- 480 voltage available
- Single Phase Models available
- Drain Extension

## Counter Models FRYERS

For kitchens with space limitations, the Keating Instant Recovery® Counter Model is the perfect solution. The counter model has the same energy input and production capacity as its floor model counterparts.

#### CAPACITIES/PER HOUR

Model 10x11 CM: 40 lbs. of frozen french fries Model 14 CM: 48 lbs. of fresh hand cut french fries 72 lbs. of frozen french fries 75 lbs. of chicken

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod, 1" x 11-1/2" drain extension and sample of Keating Klenzer







#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS Part no.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 CMG	036350	54,000	036459	50,000	26 lbs.	10 ¾" x 11 ¾"	27 3/8"	25 1/4"	12 3/8"	120 lbs.	\$3,575
14 CMG	032167	87,000	033367	90,000	38 lbs.	14" x 14"	27 3/8"	27 1/2"	15 3/8"	140 lbs.	\$5,274

#### **FLECTRIC MODELS**

ELECTRIC MODELS						For k	W rating @	208V, multi	ply by .752
MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036429 10x11 CMBB 208-240/3	240V 8.9 kW	21-21-21 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$4,260
036399 10x11 CMBB 480/3	480V 8.9 kW	11-11-11 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$4,900
<sup>036476</sup> 10x11 CMTS 208-240/3	240V 13.6 kW	33-33-33 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$5,244
036405 10x11 CMTS 480/3	480V 13.6 kW	16-16-16 Amps	30 lbs.	10 ¾" x 11 ¾"	27 1/4"	25 1/4"	12 3/8"	120 lbs.	\$6,030
036390 <b>14 CMBB</b> 208-240/3	240V 15.5 kW	37-37-37 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$6,253
036392 <b>14 CMBB</b> 480/3	480V 15.5 kW	19-19-19 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$7,191
036560 <b>14 CMTS</b> 208-240/3	240V 23.2 kW	56-56-56 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$7,171
036391 <b>14 CMTS</b> 480/3	480V 23.2 kW	28-28-28 Amps	44 lbs.	14" x 14"	27 1/4"	27 1/2"	15 3/8"	130 lbs.	\$8,247

(NSE) \*1 phase available at no extra cost - call for amp rating.

#### Intertek Intertek **OPTIONS:**

Computer (CPU), only on CMTS (Electric)	\$1,400
Security Package	\$577

#### **10x11CM ACCESSORIES:**


061595, Basket, 10x11 4M Split
11 1/4" L x 5" W x 4 1/2" D, 4 lbs\$259.00
004392, Connecting Strip, 10 x 11
(no charge with fryer), 1 lb \$38.00
004739, Cover Flush for Fryer, 10 x 11, 3 lbs \$114.64
004622, Drain Clean-Out Rod, 1 lb \$29.30
017396, Flue Deflector, 10x11, 1 lb \$48.50
004612, Screen, 10x11 Grid, 1 lb \$50.00

#### 14CM ACCESSORIES:

004824, Basket, 14 4M Cutlet for 1 1/4", 2 lbs	\$36.75
038502, Basket, 14 4M Split (straight handle)	
13 1/4" L x 6 1/2" W x 6" D, 3 lbs	\$120.00
004817, Basket, 14 4M Triple	
13 1/4" L x 4 1/2" W x 5 1/4" D, 2.5 lbs	\$193.25
003880, Connecting Strip, 14 (no charge with fryer), 1 lb	\$47.00
004736, Cover Flush for Fryer, 14, 4 lbs	\$124.65
037570, Cover Flush for Basket-Lift Fryer, 14, 4 lbs	\$124.65
004622, Drain Clean-Out Rod, 1 lb.	\$29.30
017397, Flue Deflector, 14, 1 lb	
021095, Flue Deflector Basket-Lift, 14, 1 lb.	
004613, Screen, 14 Grid, 1 lb.	\$54.85
061708, Screen, 14 Grid, S/S Pasta, 1 lb.	
004654, Skimmer	

## **FRYERS** Caster Replacement Battery Splitting

14" MODELS



#### CASTER PLACEMENT

CASTER PLACEMENT

A = GAS OR ELECTRIC OR PASTA UNITS

- B = CENTRAL FILTERS OR SAFE & EASY<sup>®</sup> FRYER
  - OR PASTA RINSE OR PREP
- \*B\* = CANNOT BE A SAFE & EASY<sup>®</sup> FRYER
- NO CANOPY, SPLASHBACK OR DRAINBOARD MAY BE OVER 126" IN LENGTH

\*Separate canopies and splashbacks for each section of the split. (This will ease the assembly and disassembly for both production and the customer's installation.) Separate common gas manifolds for both sections. (This will ease installation.)

## 10" x 11" Instant Recovery<sup>®</sup> FRYERS

This high production fryer has a width of only 12 3/8" - ideal for kitchens with space constraints.

#### **CAPACITIES/PER HOUR**

40 lbs. of frozen french fries

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer



**Casters** Optional

#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
10x11 AA	036435	54,000	036590	50,000	26 lbs.	10 ¾" x 11 ¾"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$3,405
10x11 BB	036341	54,000	036467	50,000	26 lbs.	10 ¾" x 11 ¾"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$4,215
10x11 TS	036688	54,000		50,000	26 lbs.	10 ¾" x 11 ¾"	46 1/2"	26 1/2"	12 3/8"	125 lbs.	\$4,927

#### **ELECTRIC MODELS**

For kW rating @ 208V, multiply by .752

							-		
MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036409 <b>10x11 BB</b> 208-240/3	240V 8.9 kW	21-21-21 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	110 lbs.	\$4,260
036612 <b>10x11 BB</b> 480/3	480V 8.9 kW	11-11-11 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	110 lbs.	\$4,900
036575 <b>10x11 TS</b> 208-240/3	240V 13.6 kW	33-33-33 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	125 lbs.	\$5,245
036729 <b>10x11 TS</b> 480/3	480V 13.6 kW	16-16-16 Amps	30 lbs.	10 ¾" x 11 ¾"	46"	25 1/4"	12 3/8"	125 lbs.	\$6,030

\*1 phase available at no extra cost - call for amp rating.



#### **OPTIONS:**

Security Package	\$577
039542, Casters (set of 4), 4 lbs.	\$276



#### ACCESSORIES:

ACCECCONIEC.	
061595, Basket, 10x11 4M Split	
11 1/4" L x 5" W x 4 1/2" D, 4 lbs	\$259.00
004392, Connecting Strip, 10 x 11	
(no charge with fryer), 1 lb.	\$38.00
004739, Cover Flush for Fryer, 10 x 11, 3 lbs	\$114.64
004622, Drain Clean-Out Rod, 1 lb.	\$29.30
017396, Flue Deflector, 10x11, 1 lb.	\$48.50
004612, Screen, 10x11 Grid, 1 lb.	\$50.00

## FRYERS 14" Instant Recovery®

Keating's 14" Instant Recovery<sup>®</sup> Fryer has a polished stainless steel drawn pot with seamless coved corners and uses 24% less oil while giving the production of a 50 lb. fryer.

#### CAPACITIES/PER HOUR

48 lbs. of fresh hand cut french fries 72 lbs. of frozen french fries 75 lbs. of chicken

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



14" TS Fryer shown with Basket-Lift option



**Casters** Optional

#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS Part No.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 AA	032891	87,000	032892	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	185 lbs.	\$4,585
14 BB	060860	87,000	038650	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	180 lbs.	\$5,790
14 TS	038232	87,000	033415	90,000	38 lbs.	14" x 14"	46 1/2"	28 3/4"	15 3/8"	190 lbs.	\$6,725

#### **ELECTRIC MODELS**

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
<sup>036381</sup> <b>14 BB</b> 208-240/3	240V 15.5 kW 37-37-37 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	180 lbs.	\$5,949
<sup>036537</sup> <b>14 BB</b> 480/3	480V 15.5 kW 19-19-19 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	180 lbs.	\$6,840
<sup>039348</sup> <b>14 TS</b> 208-240/3	240V 23.2 kW 56-56-56 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	190 lbs.	\$7,086
<sup>036965</sup> <b>14 TS</b> 480/3	480V 23.2 kW 28-28-28 Amps	44 lbs.	14" x 14"	46"	31 1/4"	15 3/8"	190 lbs.	\$8,149

(NSF) \*1 phase available at no extra cost - call for amp rating.

#### OPTIONS:

Intertel

Basket-Lift (BL), TS Model	\$1,925
Computer (CPU), TS Model	\$1,400
Drainboard S/S (12"D) 1st fryer\$	646.60
(On batteries, add \$15.00 for each additional drainboard inch after first fryer)	
Flue Riser (17")\$	327.50
Safe & Easy <sup>®</sup> Ready (SE)**\$	770.00
Security Package\$	577.00
039542, Casters (set of 4), 4 lbs	\$276
**See Safe & Easy <sup>®</sup> depths, page 12.	

14 Grid Screen 004613



#### ACCESSORIES:

004824, Basket, 14 4M Cutlet for 1 1/4", 2 lbs	\$36.75
038502, Basket, 14 4M Split (straight handle)	
13 1/4" L x 6 1/2" W x 6" D, 3 lbs	\$120.00
004817, Basket, 14 4M Triple	
13 1/4" L x 4 1/2" W x 5 1/4" D, 2.5 lbs	\$193.25
003880, Connecting Strip, 14 (no charge with fryer), 1 lb.	\$47.00
004736, Cover Flush for Fryer, 14, 4 lbs	\$124.65
037570, Cover Flush for Basket-Lift Fryer, 14, 4 lbs	\$124.65
004622, Drain Clean-Out Rod, 1 lb.	\$29.30
017397, Flue Deflector, 14, 1 lb	\$66.25
021095, Flue Deflector Basket-Lift, 14, 1 lb.	
004613, Screen, 14 Grid, 1 lb.	\$54.85
061708, Screen, 14 Grid, S/S Pasta, 1 lb.	\$163.00
004654, Skimmer	
,	

## 18" Instant Recovery<sup>®</sup> FRYERS

Keating's Instant Recovery<sup>®</sup> trademark means that every Keating fryer recovers its temperature before the end of the cooking cycle. The patented system of high input burners and heat transfer surfaces provides constant, accurate temperatures in the cooking zone, to assure quality foods every time.

#### CAPACITIES/PER HOUR

120 lbs. of frozen french fries 150 lbs. of chicken

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



available on TS Models



#### Casters Optional

#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
18 AA	032895	134,000	033194	132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	250 lbs.	\$6,180
18 BB	038471	134,000		132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	250 lbs.	\$7,280
18 TS	061204	134,000		132,000	68 lbs.	18" x 18"	46 1/2"	32 1/2"	19 3/8"	260 lbs.	\$7,736

#### **ELECTRIC MODELS**

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036411 <b>18 BB</b> 208-240/3	240V 21.4 kW 52-52-52 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	250 lbs.	\$7,940
036417 <b>18 BB</b> 480/3	480V 21.4 kW 26-26-26 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	250 lbs.	\$9,132
036276 <b>18 TS</b> 208-240/3	240V 28.6 kW 79-79-52 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	260 lbs.	\$9,165
<sup>036608</sup> <b>18 TS</b> 480/3	480V 28.6 kW 39-39-26 Amps	78 lbs.	18" x 18"	46"	35 1/4"	19 3/8"	260 lbs.	\$10,540

(NSF) \*1 phase available at no extra cost - call for amp rating.

## OPTIONS:

Basket-Lift (BL), TS Model	
Computer (CPU), TS Model	.\$1,400
Drainboard S/S (12"D) 1st fryer	\$646.60
(On batteries, add \$15.00 for each additional drainboard inch after first fryer)	b
Drain Valve 2" Extra Large	\$600.00
Flue Riser (17")	\$336.00
Safe & Easy <sup>®</sup> Ready (SE)**	\$897.00
Security Package	\$577.00
039542, Casters (set of 4), 4 lbs	\$276
**See Safe & Easy <sup>®</sup> depths, page 12.	

#### ACCESSORIES:

019781, Basket, 18 4M Split (front and rear handles)

 16 7/8" L x 8 1/2" W x 5 7/8" D, 4.5 lbs.
 \$329.50

 016282, Basket, 18 4M Triple (2 hooks, front & rear handles)
 17" L x 5 1/2" W x 5 1/2" D, 4 lbs.
 \$231.00

 003877, Connecting Strip, 18 (no charge with fryer), 1 lb.
 \$53.50

 004735, Cover Flush for Fryer, 18, 4.5 lbs.
 \$192.50

 004622, Drain Clean-Out Rod, 1 lb.
 \$29.30

 017398, Flue Deflector, 18, 1 lb.
 \$74.50

 004614, Screen, 18 Grid, 2 lbs.
 \$58.50

 061709, Screen, 18 Grid, S/S Pasta, 2 lbs.
 \$165.90

## FRYERS 20" Instant Recovery®

Keating's Instant Recovery<sup>®</sup>, high efficiency fryers are designed to fry at a lower temperature, between 325°F and 335°F, reducing oil breakdown.

#### **CAPACITIES/PER HOUR**

140 lbs. of frozen french fries 200 lbs. of chicken

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



Flue Deflector



Casters Optional

#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
20 AA	032169	134,000	038451	132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	250 lbs.	\$8,050
20 BB	061072	134,000		132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	250 lbs.	\$8,376
20 TS	061071	134,000		132,000	100 lbs.	20" x 20"	46 1/2"	34 1/2"	21 3/8"	260 lbs.	\$8,937

#### ELECTRIC MODELS

For Kw rating @ 208V, multiply by .752

MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
036389 <b>20 BB</b> 208-240/3	240V 21.4 kW	52-52-52 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	250 lbs.	\$9,199
038327 <b>20 BB</b> 480/3	480V 21.4 kW	26-26-26 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	250 lbs.	\$10,579
052905 <b>20 TS</b> 208-240/3	240V 28.6 kW	79-79-52 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	260 lbs.	\$9,822
036954 <b>20 TS</b> 480/3	480V 28.6 kW	39-39-26 Amps	110 lbs.	20" x 20"	46"	37 1/4"	21 3/8"	260 lbs.	\$11,295

\*1 phase available at no extra cost - call for amp rating.



#### **OPTIONS:**

Basket-Lift (BL), TS Model	\$1,925
Computer (CPU), TS Model	\$1,400
Drainboard S/S (12"D) 1st fryer	. \$646.60
(On batteries, add \$15.00 for each additional drainboa inch after first fryer)	ard
Drain Valve 2" Extra Large	. \$600.00
Safe & Easy <sup>®</sup> Ready (SE)**	. \$897.00
Security Package	. \$577.00
039542, Casters (set of 4), 4 lbs	\$276
**See Safe & Easy <sup>®</sup> depths, page 12.	

#### ACCESSORIES:

019782, Basket, 20 4M Split (front and rear handles)

19" L x 9 1/2" W x 5 1/2" D, 5.5 lbs	\$271.50
003955, Connecting Strip, 20 (no charge with fryer), 1 lb	\$55.50
004737, Cover Flush for Fryer, 20, 5.5 lbs	\$210.00
004622, Drain Clean-Out Rod, 1 lb.	\$29.30
017399, Flue Deflector, 20, 1 lb.	\$79.98
004615, Screen, 20 Grid, 3 lbs	\$73.65
004626, Screen, 20 Mesh, 3 lbs	\$120.00
034785, Screen, 20 Grid, S/S Pasta, 3 lbs	\$162.49

## 24" Instant Recovery<sup>®</sup> FRYERS

Instant Recovery<sup>®</sup> fryers are the only fryers built with a #7 highly polished stainless steel vessel and a true cold zone which captures and holds frying crumbs and debris.

#### **CAPACITIES/PER HOUR**

200 lbs. of frozen french fries 250 lbs. of chicken

#### STANDARD ACCESSORIES

One pair 24 split baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer

SI Electronic Ignition is standard on BB & TS Gas Models



Casters Optional

#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS PART NO.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
24 BB	061202	167,500	038582	165,000	130 lbs.	24" x 24"	46 1/2"	38 1/2"	25 3/8"	375 lbs.	\$9,293
24 TS	038472	167,500	038554	165,000	130 lbs.	24" x 24"	46 1/2"	38 1/2"	25 3/8"	380 lbs.	\$9,850

#### **ELECTRIC MODELS**

For kW rating @ 208V, multiply by .752

MODEL			Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
<sup>036364</sup> <b>24 BB</b> 208-240/3	240V 28.6 kW	79-79-52 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	325 lbs.	\$10,257
<sup>038398</sup> <b>24 BB</b> 480/3	480V 28.6 kW	39-39-26 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	325 lbs.	\$11,796
036515 <b>24 TS</b> 208-240/3	240V 35.7 kW	79-103-79 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	330 lbs.	\$11,045
036770 <b>24 TS</b> 480/3	480V 35.7 kW	39-52-39 Amps	140 lbs.	24" x 24"	46"	41 1/4"	25 3/8"	330 lbs.	\$12,700

\*1 phase available at no extra cost - call for amp rating.



#### **OPTIONS:**

Basket-Lift (BL), TS Model	\$1,925
Computer (CPU), TS Model	\$1,400
Drainboard S/S (12"D) 1st fryer	\$646.60
(On batteries, add \$15.00 for each additional drai inch after first fryer)	nboard
Drain Valve 2" Extra Large	\$600.00
Safe & Easy <sup>®</sup> Ready (SE)**	\$897.00
Security Package	\$577.00
039542, Casters (set of 4), 4 lbs	\$276
**See Safe & Easy <sup>®</sup> depths, page 12.	

#### ACCESSORIES:

062354 Basket, 24 Split (expanded metal, side handles)

22 5/16" L x 10 5/16" W x 6 5/8" D, 5.3 lbs	\$457.65
003976, Connecting Strip, 24 (no charge with fryer), 1 lb	\$68.65
004738, Cover Flush for Fryer, 24, 6.1 lbs	\$283.00
004622, Drain Clean-Out Rod, 1 lb.	\$29.30
017400, Flue Deflector, 24, 1 lb.	\$96.35
004617, Screen, 24 Grid, 4 lbs	\$86.25
004623, Screen, 24 Mesh, 4 lbs	\$74.99

## FRYERS 34" x 24" Instant Recovery®

Our largest capacity fryer, with enough space to cook 4 whole turkeys at the same time.

#### **CAPACITIES/PER HOUR**

270 lbs. of frozen french fries 300 lbs. of chicken

#### STANDARD ACCESSORIES

One pair 4 mesh baskets, grid screen over heat transfer tubes, drain clean out rod and sample of Keating Klenzer



**Casters** Optional

#### **GAS MODELS**

MODEL	NAT GAS PART NO.	NAT GAS BTU	LP GAS Part No.	LP GAS BTU	Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
34x24 BB	061218	201,000	038581	198,000	195 lbs.	34" x 24"	46 1/2"	38 1/2"	35 3/8"	460 lbs.	\$12,347
34x24 TS	060896	201,000	060893	198,000	195 lbs.	34" x 24"	46 1/2"	38 1/2"	35 3/8"	512 lbs.	\$12,910

#### **ELECTRIC MODELS**

For kW rating @ 208V, multiply by .752

MODEL		Oil Capacity	Frying Area	Overall Height	Depth	Width	Ship Weight	LIST PRICE
038248 <b>34x24 BB</b> 208-240/3	240V 35.7 kW 79-103-79 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	420 lbs.	\$12,692
<sup>036532</sup> <b>34x24 BB</b> 480/3	480V 35.7 kW 39-52-39 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	420 lbs.	\$14,596
<sup>036738</sup> <b>34x24 TS</b> 208-240/3	240V 42.8 kW 103-103-103 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	425 lbs.	\$13,339
<b>34x24 TS</b> 480/3	480V 42.8 kW 52-52-52 Amps	210 lbs.	34" x 24"	46"	41 1/4"	35 3/8"	425 lbs.	\$15,340

\*1 phase available at no extra cost - call for amp rating. (NSE)

#### **OPTIONS:**

Intertek

(II)

Intertek

Computer (CPU), TS Model	\$1,400
Safe & Easy <sup>®</sup> Ready (SE)**	. \$897.00
Security Package	. \$577.00
039542, Casters (set of 4), 4 lbs	
**	

See Safe & Easy<sup>®</sup> depths, page 12.



#### ACCESSORIES:

022180, Basket, 34x24 Split (expanded metal)

22 1/4" L x 16 1/4" W x 6 5/16" D, 10 lbs	\$413.00
003976, Connecting Strip, 34x24 (no charge with fryer), 1 lb.	\$68.65
001232, Cover Flush for Fryer, 34x24, 20 lbs.	\$419.00
004622, Drain Clean-Out Rod, 1 lb.	\$29.30
017401, Flue Deflector, 34x24, 1 lb.	\$102.39
004639, Screen, 34x24 Grid, 10 lbs	\$229.49

## Equipment Accessories FRYERS

## Prep & Service Area

#### STANDARD FEATURES

Stainless steel sides & back

\*With Bagging Station top

MODEL	PART NO.	Overall Height	Working Height	Depth	Width	Ship Weight	LIST PRICE
10x11	005129	46 1/2"	35"	25 1/4"	12 3/8"	75 lbs.	\$1,889
14	052735	46 1/2"	35"	27 1/2"	15 3/8"	115 lbs.	\$1,929
18	033341	46 1/2"	35"	31 1/4"	19 3/8"	135 lbs.	\$2,039
20	039373	46 1/2"	35"	33 1/4"	21 3/8"	150 lbs.	\$2,099
24	005173	46 1/2"	35"	37 1/4"	25 1/2"	200 lbs.	\$2,448

#### **OPTIONS:**

\*Flat Top (available on request) ......NO CHARGE 007737, Keep Krisp<sup>®</sup> 2LCF (for 10x11, 14, 18 Models) .....\$427 007738, Keep Krisp<sup>®</sup> 3LCF (for 20, 24 Models) .....\$620 039542, Casters (set of 4), 4 lbs. ....\$276 14 Prep with Bagging Station top shown batteried with two 14AA Instant Recovery<sup>®</sup> Fryers

# Casters Optional

## Salting & Bagging Station

#### STANDARD FEATURES

· Stainless steel sides, shelves & back

MODEL	PART NO.	Dump Side	No. of Lights	Overall Height	Working Height	Depth	Width	Ship Weight	LIST PRICE
30 Bagging Station	036032	Dump Left	4	66"	35"	31 1/4"	30"	330 lbs.	\$10,200
30 Bagging Station	036031	Dump Right	4	66"	35"	31 1/4"	30"	330 lbs.	\$10,200
36 Bagging Station	036034	Dump Left	6	66"	35"	31 1/4"	36"	360 lbs.	\$11,780
36 Bagging Station	036033	Dump Right	6	66"	35"	31 1/4"	36"	360 lbs.	\$11,780

NOTE: Specify left or right dump on order (facing equipment).



**OPTIONS:** 

Casters Optional


## Portable Basket Rack

#### STANDARD FEATURES

- All stainless steel construction
- Price includes casters

PART NO.	*Holds Amount of Baskets	Overall Height	Depth	Width	Ship Weight	LIST PRICE
010434	18	63 1/4"	25 1/4"	15 1/2"	155 lbs.	\$3,128
003915	24	57 1/4"	27 1/2"	22 1/4"	180 lbs.	\$3,460
003916	32	57 1/4"	27 1/2"	29 1/2"	220 lbs.	\$5,235

\*Amount based on 14" Split Baskets - Baskets not included





## **FRYERS** Filter Systems



STANDARD FEATURES

- Available for all Keating floor model fryers - gas or electric
- Same height and depth as adjoining fryers
- Stainless steel perforated recessed bagging station above filter or flat top
- Stainless Steel Cabinet
- Stainless Steel filter drawer and strainer basket
- Filters up to 6 fryers of same capacity with filter centrally located
- · Hose with wand for discarding oil
- Motor 1/3 HP with capacitor start
- No Charge for piping 1 fryer in battery

#### OPTIONS

- · Return line heaters for solid shortening
- Polyurethane casters with brakes
- Keep Krisp<sup>®</sup> food warmer
- Extra Stainless Steel Strainer Baskets

## Safe & Easy<sup>®</sup> Central Filter Systems

Filters up to 6 fryers of the same capacity with f Iter centrally located. For use with liquid shortening only.

MODEL	Oil Capacity (Liquid Only)	Voltage	HP	AMPS	Height	Depth	Width	Ship Weight	LIST PRICE
SE14CF	50 lbs.	120	1/3	5.6	46"	31 1/4"	15 3/8"	170 lbs.*	\$6,800
SE18CF	90 lbs.	120	1/3	5.6	46"	35 1/4"	19 3/8"	190 lbs.*	\$7,730
SE20CF	120 lbs.	120	1/3	5.6	46"	37 1/4"	21 3/8"	210 lbs.*	\$7,780
SE24CF	160 lbs.	120	1/3	5.6	46"	41 1/4"	25 3/8"	230 lbs.*	\$8,080
SE34x24CF	210 lbs.	120	1/3	6	46"	41 1/4"	35 3/8"	250 lbs.*	\$8,852

\*Shipped in Battery

Intertel

ntertek

Fryer Optional

## SAFE & EASY® CENTRAL FILTER OPTIONS:

Each additional fryer to be filtered:	
SE14CF	\$770
SE18CF, SE20CF, SE24CF, SE34x24CF	\$897
Heat Tape (for solid shortening), per unit	\$250
007737, Keep Krisp <sup>®</sup> 2LCF (for SE14CF, SE18CF models)	\$427
007738, Keep Krisp <sup>®</sup> 3LCF	
(for SE20CF, SE24CF, SE34x24CF models)	\$620
039542, Casters (set of 4), 4 lbs	\$276



## Safe & Easy® Under Fryer Filter

Keating's space-saving Safe & Easy<sup>®</sup> filter gives you all the advantages of a central filter with the convenience of a portable. No extra storage area is needed since it fits completely under a Safe & Easy<sup>®</sup> fryer of the same size.

MODEL	PART NO.	Oil Capacity (Liquid Only)	Voltage	HP	AMPS	Height	Depth	Width	Ship Weight	LIST PRICE
SE14	034321	50 lbs.	120	1/3	6	17 7/8"	29 7/8"	12 7/8"	130 lbs.	\$6,800
SE18	034849	90 lbs.	120	1/3	6	15 3/8"	34 5/8"	17"	155 lbs.	\$7,730
SE20	034819	120 lbs.	120	1/3	6	15 3/8"	36 5/8"	19"	160 lbs.	\$7,780
SE24	054310	160 lbs.	120	1/3	6	15 3/8"	40 5/8"	23"	175 lbs.	\$8,080
SE34x24	036613	210 lbs.	120	1/3	6	15 1/2"	40 5/8"	32 1/4"	200 lbs.	\$8,852



#### SAFE & EASY<sup>®</sup> UNDER FRYER FILTER OPTIONS:

Each additional fryer to be filtered:

SE14\$7	70
SE18, SE20, SE24, SE34x24\$8	97

## Filter Systems FRYERS

## **Portable Filter**

#### STANDARD FEATURES

- Stainless Steel cabinet and vessel
- · Seamless drawn stainless steel vessel on LB units
- Built-in Melt Cycle
- Heavy duty handle
- 5 ft. hose with swivel handle and stiffener spring
- · Removable 6 ft. cord with plug on LB units
- Polyurethane casters
- Strainer Basket S/S
- · Filter cover on LB units

#### **OPTIONS**

- Two way pump on LB units
- Extra Baskets (Stainless Steel)
- Filter cover PC 14



Acidox

Powder

MODEL	PART NO.	Oil Capacity	Voltage	HP	AMPS 1Ø	Overall Height	Tub Height	Depth	Width	Ship Weight	LIST PRICE
PC14	002246	48 lbs.	120	1/3	9.2	30 1/4"	13 1/8"	31 1/4"	14 1/2"	110 lbs.	\$4,112
LB165	037233	165 lbs.	120	1/3	9.6	22 3/8"	12 5/8"	37 3/8"	28 3/8"	220 lbs.	\$4,987
LB200	037260	200 lbs.	120	1/3	9.6	22 5/8"	14 1/8"	39 3/8"	30 3/8"	275 lbs.	\$5,225



#### PORTABLE FILTER OPTIONS:

#### **STANDARD ACCESSORIES - All Filters**

All Keating filters are shipped with one package of 60 filter papers and one carton of 60 individual packages of Acidox Filtering Compound - equivalent to a 30 day supply.

#### FILTER ACCESSORIES:

037524, ACIDOX Powder (filter aid)
30 lb. box (60 8 oz. packages), 30 lbs \$127.00
FILTER PAPER
SE 14, CF 14, UFF 14
058779, Package of 60, 15" x 21 7/8", 3 lbs
SE 18, CF 18, UFF 18, SE 20, CF 20, UFF 20, PC 14
058780, Package of 60, 19" x 28", 4 lbs \$119.00
SE 24, CF 24, UFF 24, LB165 & LB200
058781, Package of 60, 25" x 32", 6 lbs \$161.00
SE 34x24, CF 34x24, UFF 34x24
058782, Package of 60, 33" x 32", 8 lbs \$184.25
LB100
058783, Pkg of 60,14" Round with tabs (thick paper), 4 lbs\$69.25
EXTRA S/S STRAINER BASKETS
SE14 \$211.50
SE18
SE20
SE24
SE34x24 \$257.00

## FOOD WARMERS Keep Krisp®

ntertek

### Heavy duty steel construction with chrome plated f nish - more durable than aluminum shades.





2 LOR Two lights or three lights, open ended bracket with pan and screen.



2 LOWS Two lights or three lights, open ended bracket, swivel wall mount.

MODEL	PART NO.	No. of Lights	Heated Area	Length	Width	Height	Ship Weight	LIST PRICE
1LX 120V* 🗖	001894	1	12" x 12"	6 1/2"	6 1/2"	10"	4 lbs.	\$157
2LOR 120V* ♦ ■	002211	2	12" x 20"	22 1/2"	14"	18 1/2" - 26"	23 lbs.	\$523
2LOX 120V* •	001915	2	12" x 20"	22 1/2"	14"	18 1/2" - 26"	14 lbs.	\$472
2LOWS 120V* 🗖	001925	2	12" x 20"	18"	6 1/2"	18"	9 lbs.	\$443
2LB 120V* ■	001939	2	12" x 20"	19"	6 1/2"	9 1/2"	8 lbs.	\$330
2LCF 120V*	007737	2	12" x 20"	19"	6 1/2"	23" - 28"	10 lbs.	\$427
3L SLICER LIGHT* ♦ ■	008311	3	18" x 26"	26"	24"	28" - 49 1/2"	18 lbs.	\$1,180
3LOR 120V* ♦ ■	001949	3	18" x 26"	27 1/2"	20"	18 1/2" - 26"	25 lbs.	\$674
3L 120V* ♦ ¤	001960	3	18" x 26"	29"	14"	18 1/2" - 26"	23 lbs.	\$672
3LB 120V* 🗖	001966	3	18" x 26"	27"	6 1/2"	9 1/2"	11 lbs.	\$472
3LCF 120V* ■	007738	3	18" x 26"	25"	6 1/2"	23" - 28"	13 lbs.	\$620
3LOWS* ■	001957	3	18" x 26"	24"	6 1/2"	19"	9 lbs.	\$616
4∟ ♦ ◘	001977	4	12" x 37"	43"	14"	18 1/2" - 26"	28 lbs.	\$769
4LB 🗖	001982	4	12" x 37"	36"	6 1/2"	9 1/2"	13 lbs.	\$650
6LB 🛛	002021	6	12" x 50"	54"	6 1/2"	9 1/2"	18 lbs.	\$933
6LR2 120V ♦ ¤	002032	6	22" x 45"	45"	19 1/4"	18 1/2" - 26"	36 lbs.	\$1,223
6LR2 220V ♦ ■	002031	6	22" x 45"	45"	19 1/4"	18 1/2" - 26"	36 lbs.	\$1,223
8LR2 ♦ ■	002052	8	22" x 59"	59"	19 1/4"	18 1/2" - 26"	50 lbs.	\$1,375
10LR2 220V 🕈 🗖	002055	10	22" x 73"	73"	19 1/4"	18 1/2" - 26"	100 lbs.	\$1,718
12LR2 220V 🕈 🗖	002061	12	22" x 88"	88"	19 1/4"	18 1/2" - 26"	80 lbs.	\$2,050
14LR2 220V 🕈 🗖	002066	14	22" x 101"	101"	19 1/4"	18 1/2" - 26"	95 lbs.	\$2,392

LEGEND:

- B = Bar mounted O = Open ended bracket
- S = Swivel

R = Round, closed bracket (not shown)

W = Wall mounted

X = Without Pan and Screen

## Keep Krisp<sup>®</sup> FOOD WARMERS

# Over 100 Models are available. Call 1-800-KEATING for information on models not shown. Custom units are available.



**2 LCF** Two lights, mounted on equipment. Also available with three bulbs.



**3 LB** Three lights, bar mounted. Also available with 2, 4, 6 or 8 bulbs.



Six lights, mounted on closed circular structure. Also available with 4, 8, 10, 12 and 14 bulbs.

#### KEEP KRISP® BULBS, PANS AND SCREENS

000408, Bulb, 120V 250 Watt - White, 1 lb.	\$19.98
000409, Bulb, 120V 250 Watt - Red, 1 lb.	
000411, Bulb, 120V High Input 375 Watt - Red, 1 lb.	
(Cannot be used with Bulb Protector)	\$57.86
000418, Bulb Protector, 1 lb.	\$17.20
000444, Pan 12" x 20" x 2", Aluminum, 2 lbs	\$57.31
000449, Pan 18" x 26", Aluminum, 8 lbs	\$55.25
000447, Screen Perforated, 12" x 20" S/S, 2 lbs	









## Keating Klenzer & Sea Powder

#### **Keating Klenzer**

The finest dry stainless steel polish gives dingy, dull stainless steel a dazzling new luster! Keating Klenzer is the only cleaner that lasts longer, cleans better and leaves no sticky residue, unlike other liquid products.

Stainless steel owes its sheen to fine light-reflecting scratches. When these become filled with grease, soap, dust or other particles, stainless steel loses its natural sparkle. Keating Klenzer reaches deep into these fine grooves and lifts out dulling dirt, restoring the original sparkling gleaming finish.

#### Sea Powder

Cleans deep fryers when used with boiling water and softens carbonized grease for easy removal. If used weekly, your Keating fryer will be in perfect condition for years. Daily cleaning is even better. No caustic ingredients. Excellent for cleaning greasy floors, exhaust hoods and walls.





#### KEATING KLENZER

038261, Keating Klenzer	
Case of 12, 14 oz. cans, 13 lbs.	\$57.85

#### SEA POWDER

Sea Powder, Case of 4, 8 lb. jars, 34 lbs. per case	
000394 (1-5 cases)	. \$186.25
000395 (6+ cases)	. \$158.95

## **COOKING STATION** Custom Line-Up

#### **DESIGN YOUR OWN CUSTOM WORKSTATION**



#### DESIGN YOUR COMBINATION WITHOUT WORRYING ABOUT FIT

Ideal for the single operator or satellite locations, the Keating Custom Line Up is a complete cooking station on one stand. Each station is designed to be versatile and efficient to allow you to prepare a full menu of items in one centralized location. Everything from Miraclean<sup>®</sup> Griddles and Custom Pasta Systems to Bain Maries and cutting boards are available. And because you can choose the combination needed you won't have to worry about fit and finishes of different brands. Some popular Keating Custom Line Ups include: Bain Maries, Hot Plates, Custom Pasta<sup>™</sup> Systems, Counter Model Instant Recovery<sup>®</sup> Fryer, Miraclean<sup>®</sup> Griddles and Top-Side<sup>™</sup> Cookers.

#### Let Keating Help You Choose the Right Equipment for Your Needs



With so many sizes and options available, Keating can help you choose the right equipment for your needs, or we can customize your Miraclean Griddle<sup>®</sup> or Instant Recovery<sup>®</sup> Fryer system.

Two 14 TS Fryers each with the Basket-Lift option, optional casters and a Safe & Easy® Under Fryer Filter.

## Miraclean<sup>®</sup> **GRIDDLES**

# MIRACLEAN

The Miraclean<sup>®</sup> Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean<sup>®</sup> patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.

#### Trivalent Chromium surface - foods cook faster at a lower temperature

- #1 In Customer Satisfaction
- Reduces energy use by up to 32%
- Cooler Kitchen
- Easy Clean Up

#### STANDARD FEATURES

- Easy clean up
- Miraclean<sup>®</sup> surface reduces heat loss, assures even heat distribution throughout cooking area
- Trivalent chromium surface on high carbon 3/4" steel plate
- · 208-240V three phase input on electric griddles
- 100% safety pilot shut-off
- Stainless Steel cabinet
- 2" front trough, 3" left side trough
- Stainless Steel grease drawer with handle
- 4 1/2" high back splash

- No Flavor Transfer
- Over 300 Model Variations
- Foods Cook Faster with Less Shrinkage
  - **OPTIONS**
  - · Additional thermostats for gas models
  - · High input electric elements
  - 480 voltage on electric models
  - Trough options: 3" right side with 2" front
  - Cutting board options: Richlite, Stainless Steel
  - Plate shelf
  - Belly bar
  - Drop-in Griddles
  - Streaker Griddles Groove is 5/16" wide, 1 or 2 streaks per inch
  - Security package
  - Adjustable Stainless Steel Legs
  - Stainless Steel stand with shelf and casters
  - Top-Side™ Cooker attachment (auto & manual)
  - Available in 24", 30" and 36" depth sizes



#### STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

#### NOTE:

Keating can customize any size not shown if previously manufactured. Please call **1-800-KEATING** for quotes. Please have serial # of existing unit.

#### ACCESSORIES:

002416, Connecting Strip	
30" deep griddle (no charge with griddle)\$68	.65
005247, Connecting Strip	
36" deep griddle (no charge with griddle)\$68	.65
009334, Cutting Board Hinge (set of 2) \$240	.00
004894, Palmetto Brush\$31	
004889, Scraper (Heavy Duty)\$27	.85
SCRAPER BLADES (10 per package)*	
004900, 1-9 packages, 1 lb\$32	.39
004898, 10-24 packages, 1 lb\$27	
004899, 25-49 packages, 1 lb\$25	
004891, Hamburger Spatula, 4" wide, 2 lbs\$51	.59
018716, Egg Turner Spatula, 3" wide, 2 lbs\$49	
018912, Streaker Scraper for streaks 1 per inch, 1 lb\$58	.55
018913, Streaker Scraper for streaks 2 per inch, 1 lb\$58	
038522, Top-Side™ Cooking Sheets (12 per pkg.)\$412	
*1 hox $-10$ tubos of blados	

\*1 box = 10 tubes of blades.



36" x 30" Griddle shown with Optional Stand with Casters and Streaked Section

## **GRIDDLES** Gas

ACLEAN

The Miraclean<sup>®</sup> Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean<sup>®</sup> patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.



48"x30" Griddle shown. Stand with Casters or 4" Legs and Streaked Sections are Optional.


FT = Front Trough	24x30FT	27x24	27x24FT	27x30	27x30FT	30x30	30x30FT	36x24	36x30	36x30FT	36x36FT	42x24
LIST PRICE	\$7,752	\$7,297	\$8,027	\$7,524	\$8,276	\$8,592	\$9,450	\$9,692	\$10,032	\$11,035	\$13,794	\$10,613
BTU INPUT (NAT GAS)	032918 60,000	033356 60,000	033120 60,000	032279 60,000	033093 60,000	032919 60,000	032920 60,000	033139 60,000	032188 60,000	032921 90,000	034080 109,500	033364 90,000
BTU INPUT (LP GAS)	035281 60,000	035991 60,000	039552 60,000	033406 60,000	033667 60,000	039394 60,000	034048 60,000	033412 60,000	033138 60,000	034057 90,000	036757 109,500	039316 90,000
PLATE WxD	24"x24"	24"x18"	27"x18"	24"x24"	27"x24"	27"x24"	30"x24"	33"x18"	33"x24"	36"x24"	36"x30"	39"x18"
OVERALL WIDTH	24 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	30 1/2"	30 1/2"	36 1/2"	36 1/2"	36 1/2"	36 1/2"	42 1/2"
OVERALL DEPTH	30 5/8"	24 5/8"	24 5/8"	30 5/8"	30 5/8"	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	24 5/8"
BELLY BAR	\$259	\$259	\$259	\$259	\$259	\$337	\$337	\$340	\$340	\$340	\$340	\$412
CUTTING BOARDS (8" deep) Richlite	\$422 014901	\$ <b>422</b> 010432	\$422 010432	\$422 010432	\$ <b>422</b> 010432	\$509 014287	\$509 014287	\$ <b>539</b> 008035	\$539 008035	\$539 008035	\$539 008035	\$ <b>666</b> 015066
Stainless Steel 14 gauge	\$522 031116	\$522 010255	\$522 010255	\$522 010255	\$522 010255	\$656 009237	\$656 009237	<b>\$663</b> 001263	\$663 001263	<b>\$663</b> 001263	\$663 001263	\$ <b>839</b> 009238
EXTENDED FLUE (Up To 12" H)	\$522	\$522	\$522	\$522	\$522	\$656	\$656	\$663	\$663	\$663	\$663	\$839
LEGS 4" S/S (set of 4)	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$522 031100	\$522 017199	\$522 017199	\$522 017199	\$522 017199	<b>\$656</b> 013311	<b>\$656</b> 013311	\$663 008193	\$663 008193	\$663 008193	\$663 008193	\$839 009239
SECURITY PACKAGE	\$577	\$577	\$577	\$577	\$577	\$727 036973	\$727 036973	\$735 034285	\$735 034285	\$735 034285	\$735 034285	\$ <b>928</b> 036209
STAND WITH CASTERS Stainless Steel w/shelf	\$1,464 <sub>032544</sub>	\$ <b>1,464</b> 050613	\$1,464 050613	\$1,464 050598	\$1,464 050598	\$1,542 050599	\$1,542 050599	\$1,627 050616	\$1,627 032545	\$1,627 032545	\$1,627 050643	\$1,693 050617
THERMOSTAT KNOB GUARD	\$259	\$259 051266	\$259 051266	\$259 051266	\$259 051266	\$337	\$337	\$340 051269	\$340 051269	\$340 051269	\$340 051269	\$412 015672
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
BURNERS	2	2	2	2	2	2	2	2	2	3	3	3
THERMOSTATS Additional thermostats - \$725 each	2	2	2	2	2	2	2	2	2	2	2	2
SHIP WEIGHT	265 lbs.	255 lbs.	255 lbs.	285 lbs.	285 lbs.	310 lbs.	380 lbs.	290 lbs.	360 lbs.	420 lbs.	455 lbs.	425 lbs.

#### STANDARD ACCESSORIES

Gas Connection, bottom ......\$250.00

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

## Gas **GRIDDLES**



Belly Bar option- Stainless Steel



Cutting Boards - 8" deep in Richlite or 14 gauge Stainless Steel options



Plate Shelf option - Shown with Richlite Cutting Board

FT = Front Trough	42x30	42x30FT	48x24	48x30	48x30FT	48x36FT	60x30	60x30FT	60x36FT	72x30	72x30FT	72x36FT
LIST PRICE	\$10,941	\$12,035	\$11,630	\$11,990	\$13,189	\$16,486	\$14,115	\$15,527	\$19,409	\$17,214	\$18,935	\$23,669
BTU INPUT (NAT GAS)	032269 90,000	033960 90,000	033131 120,000	032923 120,000	032885 120,000	033267 146,000	032924 150,000	032925 150,000	033269 182,500	032926 180,000	032927 180,000	033438 219,000
BTU INPUT (LP GAS)	034082 90,000	039508 90,000	036318 120,000	033407 120,000	034038 120,000	033966 146,000	033048 150,000	034040 150,000	036351 182,500	033320 180,000	032976 180,000	033439 219,000
PLATE WxD	39"x24"	42"x24"	45"x18"	45"x24"	48"x24"	48"x30"	57"x24"	60"x24"	60"x30"	69"x24"	72"x24"	72"x30"
OVERALL WIDTH	42 1/2"	42 1/2"	48 1/2"	48 1/2"	48 1/2"	48 1/2"	60 1/2"	60 1/2"	60 1/2"	72 1/2"	72 1/2"	72 1/2"
OVERALL DEPTH	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"
BELLY BAR	\$412	\$412	\$434	\$434	\$434	\$434	\$512	\$512	\$512	\$578	\$578	\$578
CUTTING BOARDS (8" deep) Richlite	<b>\$666</b> 015066	\$666 015066	\$692 007772	\$692 007772	\$692 007772	\$692 007772	\$832 015074	\$832 015074	\$832 015074	<b>\$928</b> 014866	<b>\$928</b> 014866	<b>\$928</b> 014866
Stainless Steel 14 gauge	\$839 009238	\$ <b>839</b> 009238	\$868 007693	\$868 007693	\$868 007693	\$868 007693	\$1034 007837	\$1034 007837	\$1034 007837	\$1,157 007692	\$1,157 007692	\$1,157 007692
EXTENDED FLUE (Up To 12" H)	\$839	\$839	\$868	\$868	\$868	\$868	\$1034	\$1034	\$1034	\$1,157	\$1,157	\$1,157
LEGS 4" S/S (set of 4)	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$839 009239	\$839 009239	\$868 002704	\$868 002704	\$868 002704	\$868 002704	\$1034 001223	\$1034 001223	\$1034 001223	\$1,157 007233	\$1,157 007233	\$1,157 007233
SECURITY PACKAGE	<b>\$928</b> 036209	\$ <b>928</b> 036209	<b>\$960</b> 032768	<b>\$960</b> 032768	<b>\$960</b> 032768	<b>\$960</b> 032768	\$1,140 034570	\$1,140 034570	\$1,140 034570	\$1,2 <b>79</b> 032766	\$1,279 032766	\$1,279 032766
STAND WITH CASTERS Stainless Steel w/shelf	\$1,693 050601	\$1,693 050601	\$1,843 050618	\$1,843 050602	\$1,843 050602	\$1,843 050645	\$2,224 050603	\$2,224 050603	\$2,224 050646	\$2,493 050604	\$2,493 050604	\$2,493 050647
THERMOSTAT KNOB GUARD	\$ <b>412</b> 015672	\$ <b>412</b> 015672	\$ <b>434</b> 051271	\$ <b>434</b> 051271	\$ <b>434</b> 015271	\$ <b>434</b> 015271	\$512 015272	\$512 015272	\$512 015272	\$578 015273	\$578 015273	\$578 015273
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
BURNERS	3	3	4	4	4	4	5	5	5	6	6	6
THERMOSTATS Additional thermostats - \$725 each	2	2	2	2	2	2	3	3	3	3	3	3
SHIP WEIGHT	455 lbs.	455 lbs.	405 lbs.	485 lbs.	525 lbs.	600 lbs.	610 lbs.	720 lbs.	760 lbs.	730 lbs.	760 lbs.	845 lbs.



(NSF)

STANDARD ACCESSORIES

Gas Connection, bottom ......\$250.00

Keating Scraper and blades, Hamburger Spatula,

Egg Turner Spatula, Palmetto Brush and Keating Klenzer

## **GRIDDLES** Electric

# CLEA

The Miraclean® Griddle is the world's new standard. It is the most versatile cool (no radiant heat) and easy-to-clean griddle ever made. It combines the Miraclean® patented plate finish with fast cooking, less food shrinkage (superior heat transfer) and cleaning ease. Savings of energy, cooking time, clean up labor and clean up time are yours with this trivalent chrome plated griddle.



FT = Front Trough	24x30FT	27x24	27x24FT	27x30	27x30FT	30x30	30x30FT	36x24	36x30	36x30FT	36x36FT	42x24
LIST PRICE	\$7,752	\$7,297	\$8,027	\$7,524	\$8,276	\$8,592	\$9,450	\$9,692	\$10,032	\$11,035	\$13,794	\$10,613
kW INPUT @240V	7.1	5.5	5.5	7.1	7.1	7.1	7.1	8.2	10.7	10.7	13.4	10.9
208-240/1 AMPS @240V	036256 30	036069 23	23	034097 30	30	033411 30	039385 30	034101 34	039398 45	039555 45	56	46
208-240/3 AMPS @240V	032189 15-26-15	034170 11-20-11	036594 11-20-11	034123 15-26-15	036061 15-26-15	033399 15-26-15	035234 15-26-15	033022 20-20-20	032187 26-26-26	033104 26-26-26	033464 32-32-32	034063 30-30-20
VOLTAGE 480	038523 \$8,915	035989 \$8,392	\$9,231	033242 \$8,653	\$9,517	034203 <b>\$9,880</b>	036115 \$10,868	039372 \$11,146	033423 \$11,537	039334 \$12,690	036336 \$15,863	\$12,205
HIGH INPUT Call for kW/Amp rating \$130 per heating element	036188 \$8,012	\$7,552	\$8,287	036715 \$7,784	\$8,536	036200 \$8,852	\$9,710	\$10,082	\$10,422	033037 \$11,425	N/A	\$11,133
PLATE WxD	24"x24"	24"x18"	27"x24"	24"x24"	27"x24"	27"x24"	30"x24"	33"x18"	33"x24"	36"x24"	36"x30"	39"x18"
OVERALL WIDTH	24 1/2"	27 1/2"	27 1/2"	27 1/2"	27 1/2"	30 1/2"	30 1/2"	36 1/2"	36 1/2"	36 1/2"	36 1/2"	42 1/2"
OVERALL DEPTH	30 5/8"	24 5/8"	24 5/8"	30 5/8"	30 5/8"	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	24 5/8"
BELLY BAR	\$259	\$259	\$259	\$259	\$259	\$337	\$337	\$340	\$340	\$340	\$340	\$412
CUTTING BOARDS (8" deep)												
Richlite	\$422 014901	\$422 010432	\$422 010432	\$422 010432	\$422 010432	\$509 014287	\$509 014287	\$539 008035	\$539 008035	\$539 008035	\$539 008035	\$666 015066
Stainless Steel 14 ga.	\$522 031116	\$522 010255	\$522 010255	\$522 010255	\$522 010255	\$656 009237	\$656 009237	\$663 001263	\$663 001263	<b>\$663</b> 001263	\$663 001263	\$839 009238
EXTENDED FLUE (Up To 12" H)	\$522	\$522	\$522	\$522	\$522	\$656	\$656	\$663	\$663	\$663	\$663	\$839
LEGS 4" <i>S/S (set of 4)</i>	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$522 031100	\$522 017199	\$522 017199	\$522 017199	\$522 017199	<b>\$656</b> 013311	<b>\$656</b> 013311	\$663 008193	\$663 008193	\$663 008193	\$663 008193	\$839 009238
SECURITY PACKAGE	\$577 036208	\$577	\$577	\$577	\$577	\$729 051633	\$729 051633	\$735 035284	\$735 035284	\$735 035284	\$735 035284	\$918 059754
STAND WITH CASTERS Stainless Steel w/shelf	\$1,464 032544	\$1,464 050613	\$1,464 050613	\$1,464 050598	\$1,464 050598	\$1,542 050599	\$1,542 050599	\$1,627 050616	\$1,627 032545	\$1,627 032545	\$1,627 050643	\$1,693 050617
THERMOSTAT KNOB GUARD	\$259	\$259 051266	\$259 051266	\$259 051266	\$259 051266	\$337	\$337	\$340 051269	\$340 051269	\$340 <sup>051269</sup>	\$340 051269	\$412 015672
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
THERMOSTATS	2	2	2	2	2	2	2	3	3	3	3	4
SHIP WEIGHT	255 lbs.	255 lbs.	255 lbs.	255 lbs.	285 lbs.	310 lbs.	310 lbs.	310 lbs.	350 lbs.	350 lbs.	455 lbs.	455 lbs.

casters.



#### STANDARD ACCESSORIES

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

## Electric **GRIDDLES**



Security Package option



Stand - Stainless Steel with shelf and casters options



Thermostat Knob Guard option

						,			For kW r	ating @ 20	8V. multiply	v bv .752
FT = Front Trough	42x30	42x30FT	48x24	48x30	48x30FT	48x36FT	60x30	60x30FT	60x36FT	72x30	72x30FT	72x36F1
LIST PRICE	\$10,941	\$12,035	\$11,630	\$11,990	\$13,189	\$16,486	\$14,115	\$15,527	\$19,409	\$17,214	\$18,935	\$23,669
kW INPUT @240V	14.3	14.3	10.9	14.3	14.3	17.9	17.9	17.9	22.3	21.4	21.4	26.8
208-240/1 AMPS @240V	038296 60	039414 60	036498 46	033368 60	033352 60	036497 75	034138 75	034211 75	93	036773 <b>89</b>	89	112
208-240/3 AMPS @240V	034027 39-39-26	033395 39-39-26	034081 30-30-20	033107 39-39-26	033660 39-39-26	033243 49-49-32	033292 40-52-40	034244 40-52-40	036268 49-64-49	033106 52-52-52	034010 52-52-52	039580 65-65-65
VOLTAGE 480	033450 \$12,582	<sup>036137</sup> \$13,840	039524 \$13,375	035981 \$13,789	<sup>033431</sup> \$15,167	<sup>036672</sup> \$18,959	033370 \$16,232	<sup>036176</sup> \$17,856	033459 \$22,320	036153 \$ <b>19,796</b>	038417 \$21,775	036050 \$27,219
HIGH INPUT Call for kW/Amp rating \$130 per heating element	\$11,461	\$12,555	033467 \$12,150	033369 \$12,510	\$13,709	N/A	<sup>036187</sup> \$14,765	036529 \$16,177	N/A	<sup>033962</sup> \$17,994	<sup>036535</sup> \$19,715	N/A
PLATE WxD	39"x24"	42"x24"	45"x18"	45"x24"	48"x24"	48"x30"	57"x24"	60"x24"	60"x30"	69"x24"	72"x24"	72"x30"
OVERALL WIDTH	42 1/2"	42 1/2"	48 1/2"	48 1/2"	48 1/2"	48 1/2"	60 1/2"	60 1/2"	60 1/2"	72 1/2"	72 1/2"	72 1/2"
OVERALL DEPTH	30 5/8"	30 5/8"	24 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"	30 5/8"	30 5/8"	36 5/8"
BELLY BAR	\$412	\$412	\$434	\$434	\$434	\$434	\$512	\$512	\$512	\$578	\$578	\$578
CUTTING BOARDS (8" deep)	¢777	¢ / / /	¢400	¢400	¢400	¢400	¢022	¢020	¢022	¢020	¢000	¢020
Richlite	\$666 015066	\$666 015066	\$692 007772	\$692 007772	\$692 007772	\$692 007772	\$832 015074	\$832 015074	\$832 015074	\$928 014866	\$928 014866	\$928 014866
Stainless Steel 14 ga.	\$ <b>839</b> 009238	\$839 009238	\$868 007693	\$868 007693	\$868 007693	\$868 007693	\$1034 007837	\$1034 007837	\$1034 007837	\$1157 007692	\$1157 007892	\$1157 007692
EXTENDED FLUE (Up To 12" H )	\$839	\$839	\$868	\$868	\$868	\$868	\$1034	\$1034	\$1034	\$1157	\$1157	\$1157
LEGS 4" S/S (set of 4)	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482	\$211 060482
PLATE SHELF (8" deep) Stainless Steel 14 ga. (with outrigger legs)	\$839 009239	\$839 009239	\$868 002704	\$868 002704	\$868 002704	\$868 002704	\$1034 001223	\$1034 001223	\$1034 001223	\$1157 007233	\$1157 007233	\$1157 007233
SECURITY PACKAGE	<b>\$918</b> 059754	<b>\$918</b> 059754	<b>\$960</b> 035283	<b>\$960</b> 035283	<b>\$960</b> 035283	<b>\$960</b> 035283	\$1140 035300	\$1140 035300	\$1140 035300	\$1,279 032984	\$1,279 032984	\$1,279 032984
STAND WITH CASTERS Stainless Steel w/shelf	\$1,693 050601	\$1,693 050601	\$1,843 <sup>050618</sup>	\$1,843 050602	\$1,843 050602	\$1,843 050645	\$2,224 050603	\$2,224 050603	\$2,224 050646	\$2,493 050604	\$2, <b>493</b> 050604	\$2,493 050647
THERMOSTAT KNOB GUARD	\$412 015672	\$412 015672	\$ <b>434</b> 051271	\$ <b>434</b> 051271	\$ <b>434</b> 051271	\$434 051271	\$ <b>512</b> 051272	\$512 051272	\$512 051272	\$ <b>578</b> 051273	\$ <b>578</b> 051273	\$578 051273
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00	\$60.00
THERMOSTATS	4	4	4	4	4	4	5	5	5	6	6	6
SHIP WEIGHT	455 lbs.	485 lbs.	485 lbs.	485 lbs.	485 lbs.	600 lbs.	610 lbs.	610 lbs.	650 lbs.	730 lbs.	760 lbs.	845 lbs.



STANDARD ACCESSORIES Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush and Keating Klenzer

#### FOB FACTORY - PRICES SUBJECT TO CHANGE WITHOUT NOTICE

## **GRIDDLES** Accessories

## Top-Side<sup>™</sup> Cooker



 Factory installed onto 30" deep griddles with 24" deep plate only

Surface area is 10 1/2" x 20", large enough to cook 8 guarter pound hamburgers. Micro Leveler manual height adjustment up to 1-1/2" above griddle plate. Manual lift is standard and Auto Lift option is available.

#### **STANDARD FEATURES**

- Trivalent chromium surface on high carbon 3/8" steel plate
- Stainless Steel finish
- Remote control box for each head
- · Micro Leveler full head adjustment

#### **OPTIONS**

- Manual Lift Heads
- Auto Lift Heads
- Streaked surface
- Extra Cooking Sheets

Cook both sides of an item simultaneously - the Top-Side™ Cooker will cut your cooking time by up to 60%. Keating's Top-Side<sup>™</sup> Cooker is designed to provide the best in speed and consistency that two-sided cooking offers. Ideal for high volume or limited kitchen space operations that require large quantities of food products to be cooked fast without sacrificing product quality, perfect for quick service restaurants and in fast-casual environments.

A free standing remote control box is included for each Top-Side<sup>™</sup> Cooker Head. Easy to use, it includes an On/Off switch, "Element On" indicating light and an adjusting knob to select the desired temperature.



Manual Lift





Auto Lift Option

#### For kW rating @ 208V, multiply by .752

Description	PART NO.	kW 240V	AMPS 240V	Width	Depth	Thermostats	Ship Weight	LIST PRICE
Top-Side Cooking Head 208-240/1	033638	4.8	20	10 1/2"	20"	1	50 lbs.	\$6,292
Top-Side Cooking Head Auto Lift	033958	4.8	20	10 1/2"	20"	1	70 lbs.	\$8,200
Top-Side Mounting Assembly 24	033676			25"	34 5/8"		70 lbs.	\$1,825
Top-Side Mounting Assembly 27	033677			28"	34 5/8"		70 lbs.	\$1,825
Top-Side Mounting Assembly 30	033678			31"	34 5/8"		70 lbs.	\$1,825
Top-Side Mounting Assembly 36	033679			37"	34 5/8"		70 lbs.	\$1,825
Top-Side Mounting Assembly 42	033680			43"	34 5/8"		90 lbs.	\$2,225
Top-Side Mounting Assembly 48	033681			49"	34 5/8"		90 lbs.	\$2,225
Top-Side Mounting Assembly 60	033682			61"	34 5/8"		110 lbs.	\$2,748
Top-Side Mounting Assembly 72	033557			73"	34 5/8"		120 lbs.	\$2,748

Each Auto Lift Top-Side<sup>™</sup> Cooking Head requires a separate 120V power supply.



Top-Side<sup>™</sup> Cooker(s) requires Mounting Assembly which will add depth to rear of griddle. Auto Lift Top-Side<sup>™</sup> will add 6" depth to griddle and Manual Lift will add 4-3/4". Top-Side™ Cooker is usually positioned over element/thermostat of griddle. Depending on location, additional thermostats may be required on gas griddles. Call 1-800-KEATING for assistance.

#### STANDARD ACCESSORIES

One Top-Side Cooking Sheet

#### **OPTIONS:**

007480, Streaks, 1 per inch	\$60.00
017220, Streaks, 2 per inch	\$60.00

#### ACCESSORIES:

038522, Cooking Sheets (12 sheets per pack) ......\$412

## Drop-In Miraclean<sup>®</sup> & Teppanyaki GRIDDLES

## Drop-In Miraclean<sup>®</sup> Griddles

#### ALL THE SAME STANDARD MIRACLEAN FEATURES - See page 17

#### **OPTIONS**

Intertek

- Streaker griddle
- 480 voltage
- High input elements (electric)
- Trough options
- Additional thermostats for gas models
- Customized models

Keating Scraper and blades, Hamburger Spatula, Egg Turner Spatula, Palmetto Brush & Keating Klenzer

Remote mount control panel cannot exceed 5". Cabinets must be reinforced to support the weight of the griddle and located under an exhaust hood for proper ventilation.



models	proper ventilation.			
	27x31DI	36x25DI	36x31DI	42x31DI
LIST PRICE	\$8,276	\$10,661	\$11,035	\$13,189
BTU INPUT (NAT GAS)	034206 60,000	033661 55,000	035980 60,000	036937 90,000
BTU INPUT (LP GAS)	033978 60,000	034173 55,000	039456 60,000	90,000
kw INPUT @240V	7.1	8.2	10.7	14.3
208-240/3 AMPS @240V	035263 15-26-15	033996 20-20-20	033299 26-26-26	033342 <b>39-39-26</b>
VOLTAGE 480	036308 <b>\$9</b> ,517	036410 \$12,260	034183 <b>\$12,690</b>	\$15,167
HIGH INPUT \$130 per heating element	\$8,536	\$11,051	\$11,425	\$13,709
PLATE WxD	24"x24"	33"x18"	33"x24"	39"x24"
OVERALL WIDTH	29"	38"	38"	44"
OVERALL DEPTH	31 1/2"	25 1/2"	31 1/2"	31 1/2"
CUT OPENING	26 3/4" x 29 1/4"	35 3/4" x 23 1/4"	35 3/4" x 29 1/4"	41 3/4" x 29 1/4
FINISH OPENING	28" x 30 1/2"	37" x 24 1/2"	37" x 30 1/2"	43" x 30 1/2"
THERMOSTATS (GAS) Additional thermostats - \$682 each	2	2	2	2
THERMOSTATS (ELECTRIC)	2	3	3	4
STREAKS (price per)	\$60.00	\$60.00	\$60.00	\$60.00
SHIP WEIGHT	275 lbs.	290 lbs.	345 lbs.	435 lbs.

\*Call 1-800-KEATING for kW/AMP rating - For kW rating @ 208V, multiply by .752

## Teppanyaki Griddle

#### STANDARD FEATURES

- Electric Only
- Sizes range from 24" x 24" to 72" x 30"
- Actual heating section is 24"W x 18"D
- Two high input elements rated at 240V
- Thermostatically controlled heating section, with one thermostat for each element

#### **OPTIONS**

- Stainless Steel Perimeter
- Front Trough
- Custom hole cut in plate
- Custom griddle style and configurations





NOTE: Customer must provide specifications and approve drawings.

MIRACLEAN <sup>®</sup> Plate	\$8.75 per square inch
Polished Steel Plate	
Front Trough	\$735.00
Heating Section 24" x 18" (electric only)	\$3,138.00
S/S Perimeter	\$615.00
Deposit to put order into production	50%
Balance due to release shipment.	

## PASTA Custom Pasta System

#### STANDARD FEATURES

- Automatic water fill with manual override
- Patented cook cycle with dual thermostatic control
- Starch overflow drain
- Digital solid state timers, Indicating lights
- Stainless Steel High Limit control
- Stainless Steel heat transfer tubes & elements
- Stainless Steel thermostat and High Limit bulb
- Stainless Steel vessel and cabinet
- · Stainless Steel grid screen and drain clean-out rod
- Low level water safety shut-off
- · Full port front drain valve
- · Full or Split perforated baskets

#### OPTIONS

- Basket-Lifts
- Common drain manifold
- Custom Pasta<sup>™</sup> System batteried at no additional charge
- Drainboard
- Drop-ins on 14" only
- Faucet (Jointed Neck)
- Individual serving baskets
- Manual Fill
- 480 Voltage
- Rinse Tank
- Single Phase Models Available
- Water depth 7 1/2"



GAS MODELS

MODEL	NAT GAS NAT GAS Part No. Btu	LP GAS LP GAS Part No. Btu	Water Capacity Gallon	Overall Height	Depth	Width	Ship Weight	LIST PRICE
14 PASTA	017251 109,000	008020 109,000	5.5	46 1/2"	31 1/2"	15 3/8"	200 lbs.	\$7,780
18 PASTA	014300 135,000	039434 90,000	8.5	46 1/2"	33 1/2"	19 3/8"	235 lbs.	\$9,700
20 PASTA	018669 135,000	016111 90,000	13.5	46 1/2"	35 1/2"	21 3/8"	250 lbs.	\$11,070
24 PASTA	025786 165,000	028778 145,000	19.0	46 1/2"	39 1/2"	25 3/8"	300 lbs.	\$12,510



#### STANDARD ACCESSORIES

Full or split perforated baskets, grid screen, drain clean out rod and sample of Keating Klenzer

#### **OPTIONS:**

Basket-Lift (BL)	\$1,925
Common drain manifold	
Battery of 2	\$352
Battery of 3	
Drainboard S/S (12"D)* 1st pasta cooker	\$646.60
(On batteries, add \$15.00 for each additional dra	
after first pasta cooker)	
Faucet, S/S with Jointed Neck	\$537.50
Flue, 36" High	
Manual Fill	. NO CHARGE
Rinse Tank	
14 PASTA	
18 PASTA	
20 PASTA	
24 PASTA	
Rinse Tank Overflow Tube	
Sauce Warmer, 14 PASTA Electric	
480 Voltage 14 PASTA Electric	
480 Voltage 18 PASTA Electric	
480 Voltage 20 PASTA Electric	
480 Voltage 24 PASTA Electric	\$15,696
Water Depth, 7 1/2", Additional Charge	4500
14 PASTA	
18 PASTA	
20 PASTA	
24 PASTA	
039542, Casters (set of 4), 4 lbs	\$276

## ACCESSORIES:

061852, 14 Bulk Pasta (cannot be used with Basket-Lift)	
12 3/8" L x 12 3/8" W x 5 3/8" D, 4 lbs\$493.	25
<b>061725</b> , 14 Split Pasta,	
11 7/8" L x 6 1/4" W x 5 3/8" D, 3 lbs\$281.	.50
061854, 18 Bulk Pasta (cannot be used with Basket-Lift)	
15 3/8" L x 15 3/8" W x 5 3/8" D, 8 lbs\$569.	.69
<b>061798</b> , 18 Split Pasta,	
15 3/8" L x 8" W x 5 3/8" D, 4 lbs\$332.	.00
061856, 20 Bulk Pasta (cannot be used with Basket-Lift)	
17 5/8" L x 18 5/8" W x 5 3/8" D, 9 lbs	.00
061810, 20 Split Pasta,	
17 5/8" L x 9 1/4" W x 5 3/8" D, 5 lbs\$350.	.50
061839, 24 Split Pasta,	
21 5/8" L x 11 1/4" W x 5 3/8" D, 7 lbs\$499.	.99
S/S INDIVIDUAL SERVING HOLDER	
<b>036605</b> , 2" x 4" x 5" \$107.	.50
061858, 4" x 4" x 5", 2 lbs\$116.	.85
<b>061837</b> , 4" x 4" x 7 1/2", 2 lbs. <b>\$170</b> .	
061786, 5" L x 6" W x 5" D with hook, 2 lbs	
<b>061788</b> , 6" L x 6" W x 5" D, 2 lbs. <b>\$187</b> .	
061834, Round, 5 1/2" W x 7" D, 2 lbs	
*PASTA CAROUSEI	
018207, 14 Full Custom Pasta Carousel (holds 9), 4 lbs	79
018873, 18 & 20 Full Custom Pasta Carousel (holds 16)	
005253, Custom Pasta System Pockets, 1/2 lb \$16.	
STAINLESS STEEL SCREEN	- /
061708, 14 Grid S/S Pasta, 1 lb\$163.	00
061706, 14 Gild S/S Pasta, 110. \$103. 061709, 18 Grid S/S Pasta, 2 lbs. \$165.	
034785, 20 Grid S/S Pasta, 2 lbs	
061710, 24 Grid S/S Pasta \$138.	.50
PASTA SENSOR BRUSH	00
009297, 1/4 lbs. \$19.	.89
*Price without Pockets - Pockets sold individually	

## Custom Pasta System & Drop-in Fryers PASTA



Individual Serving Baskets



Pasta Carousel

Keating 18" Custom Pasta shown with optional rinse tank, faucet with jointed neck and casters.



ELECTRIC MODELS	5				For kW rating	@ 208V, mult	iply by .752
MODEL		Water Capacity Gallon	Overall Height	Depth	Width	Ship Weight	LIST PRICE
001846 <b>14 PASTA</b> 208-240/3	240V 15.5 kW 32-56-32 Amps	7	46"	31 1/2"	15 3/8"	140 lbs.	\$8,278
001847 <b>18 PASTA</b> 208-240/3	240V 21.4 kW 52-52-52 Amps	10.6	46"	33 1/2"	19 3/8"	215 lbs.	\$10,170
017635 <b>20 PASTA</b> 208-240/3	240V 21.4 kW 52-52-52 Amps	17	46"	35 1/2"	21 3/8"	235 lbs.	\$11,530
032840 <b>24 PASTA</b> 208-240/3	240V 28.6 kW 79-79-52 Amps	24	46"	39 1/2"	25 3/8"	285 lbs.	\$13,649

## Drop-In Fryers & Custom Pasta System

#### STANDARD FEATURES

- · Built-in Melt Cycle
- Stainless Steel vessel
- Stainless Steel heat transfer tubes
- or heating elements
- Stainless Steel
- High Limit control Stainless Steel thermostat

- Extra large Cold Zone
- Split Baskets or Full-Size Basket
- Grid Screen
- Temperature control system ±2°F
- 100% safety pilot shut-off
- Full port front drain valve
- Drain clean-out rod
- · 208-240V three phase input on electric models

#### **OPTIONS**

- 480 Voltage is available
- Portable Filter
- Digital Solid State Timer
- Extra large drain on 18" models Drain Extension

#### **NO CHARGE OPTIONS**

- Single Phase
- LP Gas



For kW rating @ 208V, multiply by .752

## **GAS UNITS**

MODEL	nat gas Part no.	NAT GAS BTU	LP GAS BTU	Oil/Water Capacity	Cooking Area	Counter Top Cut Depth	Counter Top Cut Width	Ship Weight	LIST PRICE
10x11 BBDI	036479	54,000	50,000	26 lbs.	10 3/4" x 11 3/4"	20"	11 3/4"	110 lbs.	\$3,794
14 BBDI	036058	87,000	90,000	38 lbs.	14" x 14"	22 1/4"	14 3/4"	125 lbs.	\$5,211
14 PASTA DI	026817	109,000	109,000	5.5 gal	14" x 14"	26"	14 3/4"	125 lbs.	\$8,558

#### **ELECTRIC UNITS**

MODEL			Oil/Water Capacity	Cooking Area	Counter Top Cut Depth	Counter Top Cut Width	Ship Weight	LIST PRICE
036395 10x11 BBDI 208-240/3	240V 8.9 kW	22-22-22 Amps	30 lbs.	10 3/4" x 11 3/4"	20"	11 3/4"	110 lbs.	\$3,834
<sup>037568</sup> <b>14 BBDI</b> 208-240/3	240V 15.5 kW	37-37-37 Amps	44 lbs.	14" x 14"	22 1/4"	14 3/4"	125 lbs.	\$5,351
008448 <b>14 PASTA DI</b> 208-240/3	240V 15.5 kW	33-56-33 Amps	7 gal.	14" x 14"	26"	14 3/4"	125 lbs.	\$9,105



## **ACCESSORIES** Heating Equipment

## Bain Marie / Hot Food Well

#### STANDARD FEATURES

- Compact design
- 9" deep Stainless Steel well, cabinet
- Polished Stainless Steel backsplash and canopy
- Full port front drain valve
- Easy draining and cleaning
- 12"x20" well opening holds standard full, double or triple sized pans
- Adjustable temperature control



For kW rating @ 208V, multiply by .752

MODEL	Voltage	kW Input @240V	AMPS @240V	Height	Width	Depth	Thermostats	Ship Weight	LIST PRICE
B1	120	1.1	9	16 5/8"	13"	30 3/8"	N/A	60 lbs.	\$1,542
B2 HI	240	1.8	9	16 5/8"	13"	30 3/8"	No Charge	60 lbs.	\$1,957

#### Intertek 9902091 Intertek 9902091

## Gas Hot Plate

#### STANDARD FEATURES

- Two and four burner models available
- Heavy duty burners
- Manual gas valve
- Stainless Steel Cabinet

#### **OPTIONS**

Spark ignition

The Keating Hotplate is available in gas only, with 2 or 4 burner models. Features include heavy duty burners with a manual gas valve, removable grates and drip pans, and stainless steel burners.



MODEL	NAT GAS PART NO.	LP GAS PART NO.	BTU Input	Height	Width	Depth	Spark Ignition	Ship Weight	LIST PRICE
MG2 30	032886	034037	30,000	16 5/8"	13"	30 1/2"	\$150	140 lbs.	\$1,180
MG4 30	033468		60,000	16 5/8"	26"	30 1/2"	\$300	160 lbs.	\$2,398



#### OPTIONS: Spark Igniti

Spark Ignition	
MG2	. \$150
MG4	. \$300

## Numerical INDEX

Acidox Powder1	3
Bagging and Salting Station1	1
Bain Marie 2	6
Baskets	
Fryer	0
Pasta 2	4
Basket Rack - Portable 1	1
Belly Bars 19, 2	1
Cancellation Charge 2	9
Caster Placement Battery Splitting	4
Cleaning Supplies1	5
Computer 1, 3, 6, 7, 8, 9, 1	0
Cooking Sheets	2
Counter Hot Food Warmers14, 15, 2	6
Counter Model Fryers	3
Covers - Flush	0
Custom Line-Up 1	6
Cutting Boards - Griddle 19, 2	1
Delivery Time	9
Drop-In Equipment 23, 2	5
Filter Aid (Acidox) Filter Powder 1	3
Filters 1	2
Central (Safe & Easy®) 1	2
Portable 1	3
Under Fryer (Safe & Easy®) 1	2
Filter Paper and Supplies 1	3
Food Warmers	5
Freight Class 2	9
Fryer Grid Screens	0
Fryers, Instant Recovery <sup>®</sup>	1
Accessories 3, 5, 6, 7, 8, 9, 1	0
Counter Model	3
Drop-In 2	5
Models (AA, BB, TS)	2
10"x11" Gas & Electric	5
14" Gas & Electric	6
18" Gas & Electric	7
20" Gas & Electric	8

24" Gas & Electric
34" x 24" Gas & Electric10
Keating's Incredible Frying Machine® 1
Griddles, MIRACLEAN <sup>®</sup> 17
Accessories17
Drop-In 23
Standard Gas18, 19
Standard Electric 20, 21
Standard Features/Options17, 19, 21
Teppanyaki23
Top-Side <sup>™</sup> Cooker 22
Griddle Stands 19, 21
Hot Plate 26
Keep Krisp <sup>®</sup> Accessories15
Keep Krisps <sup>®</sup> 14, 15
Klenzer (Keating)15
Custom Pasta <sup>™</sup> System 24
Accessories 24
Drop-In 25
Faucet 24
Rinse Tank 24
Sauce Warmer 24
Plate Shelves
Preparation and Service Area11
Pricing Terms
Quick Shipi
Returns 29
Restocking Charge 29
Sales Policies
Sales Representatives
Salting and Bagging Station11
Screens - Fryers
Screens - Keep Krisp <sup>®</sup> 15
Sea Powder
Shipping Information
Terms and Conditions
Top-Side <sup>™</sup> Cooker

## **SALES** Representatives

To find a representative near you outside the US and Canada, call Keating of Chicago at + 1 (708) 246-3000 or visit us online at www.keatingofchicago.com

#### **UNITED STATES**

- 1 KEATING OF CHICAGO, INC. WASHINGTON, OREGON, ALASKA, IDAHO, MONTANA (Northwest) CALL 1-800-KEATING
- 2 RESTAURANT EQUIPMENT PRO., INC. CALIFORNIA (Northern), NEVADA (Northern) (510) 785-5566 Hayward, CA
- 3 KEATING OF CHICAGO, INC. CALIFORNIA (Southern/L.A.), NEVADA (Las Vegas) CALL 1-800-KEATING
- 4 KEATING OF CHICAGO, INC. ARIZONA, COLORADO, MONTANA (East) TEXAS (El Paso), NEW MEXICO, and WYOMING CALL 1-800-KEATING
- 6 HOLLANDER COMPANY MINNESOTA, NORTH DAKOTA, SOUTH DAKOTA, WISCONSIN (Western) (952) 829-5500 Minneapolis, MN
- SELECT MARKETING & DISTRIBUTING IOWA, NEBRASKA, MISSOURI, KANSAS, ILLINOIS (Southern) (314) 961-3332 St. Louis, MO (816) 474-4100 N. Kansas City, MO
- 8 BILL DICKIE ENTERPRISES TEXAS, OKLAHOMA (972) 235-9946 Allen, TX (281) 507-7859 Kingwood, TX
- 9 FOOD TECH GROUP, INC. MICHIGAN (Lower) (248) 478-2240 Plymouth, MI
- 10 PAUL WOJCIK & ASSOCIATES, INC. WISCONSIN (East), MICHIGAN (Upper) (708) 579-5567
- 11 KEATING OF CHICAGO, INC. ILLINOIS (Northern), HAWAII, UTAH PUERTO RICO & ONTARIO CANADA CALL 1-800-KEATING
- 12 ACOSTA CORNERSTONE INDIANA (800) 832-6442 Fishers, IN
- 13 DICK STANLEY & ASSOCIATES OHIO, KENTUCKY, PENNSYLVANIA (Western), WEST VIRGINIA, MARYLAND (Cumberland) (614) 833-0797 Pickerington, OH (440) 236-3902 Columbia Station, OH

14 STEFFAN ASSOCIATES ARKANSAS, LOUISIANA, MISSISSIPPI, TENNESSEE (Western)

11

- (901) 496-0119 Memphis, TN (985) 626-4545 Mandeville, LA
- 15 MASTER MARKETING SOUTH GEORGIA, ALABAMA (Montgomery), TENNESSEE (Eastern), and FLORIDA (Panhandle), NORTH and SOUTH CAROLINA (404) 872-8135 Atlanta, GA (615) 512-4875 Clifton, TN (205) 910-3056 Hoover, AL (704) 860-0092 High Shoals, NC
- 16 JMT REPS MASSACHUSETTS, CONNECTICUT, MAINE, NEW HAMPSHIRE, RHODE ISLAND, VERMONT (855) 568-7377 Acton, MA
- 17 TD MARKETING NEW YORK (Metro), CONNECTICUT (Southwest), NEW JERSEY (Northern) (732) 339-3266 Edison, NJ
- 18 TD MARKETING NORTH NEW YORK (Western, Rochester, Buffalo, Syracuse, Binghamton) (315) 447-0979 Janesville, NY
- 19 RJR MARKETING MARYLAND, VIRGINIA, DELAWARE (Southern), and WASHINGTON D.C. (301) 236-0398 Silver Springs, MD

20 STARLIPER & ASSOCIATES PENNSYLVANIA (Eastern), DELAWARE (Northern), NEW JERSEY (Southern) (610) 363-5688 Phoenixville, PA

44

13

21 PREFERRED MARKETING AGENTS FLORIDA (800) 780-1501 Deerfield Beach, FL (727) 573-0298 Clearwater, FL (954) 650-0346 Stuart, FL

#### CANADA

- 22 TOP LINE MARKETING BRITISH COLUMBIA, ALBERTA (604) 377-9101 Vancouver, BC
- 23 KEATING OF CHICAGO, INC. MANITOBA, SASKATCHEWAN CALL 1-800-KEATING
- 24 HAMILTON AGENCIES QUEBEC, NEW FOUNDLAND, NEW BRUNSWICK, PRINCE EDWARD ISLAND, NOVA SCOTIA, NUNAVUT, NORTHWEST TERRITORY, YUKON (514) 639-4433 Lachine, QC



## SALES POLICIES AND INFORMATION

Only written purchase orders will be accepted. Telephone orders must be confirmed in writing.

All purchase orders must contain the following information:

- Dealer name with complete billing address and telephone number
- Purchase order number
- · Ship to address and telephone number
- Mark for customer information
- Model number, description and price
- Requested ship date and carrier

#### PLEASE NOTE:

KEATING

- This equipment must be professionally installed and started to begin the one year warranty period.
- Equipment may not be sold for household use; warranties and liability will be considered void.
- Compliance with local codes is the responsibility of purchaser and installer.
- Purchase orders must specify if equipment will be used in mobile applications.
- All orders accepted subject to government regulations and conditions beyond manufacturer's control.
- Custom orders require customer approval of Keating drawings.
- As Keating is constantly involved in improving our equipment, specifications and prices may be changed without notice.
- Please note that unless listed otherwise, options are available at an additional charge.

## TERMS

#### PRICES EFFECTIVE JANUARY 1, 2019 TO JANUARY 31, 2020

- Prices are in US Dollars.
- Prices subject to change without notice.
- Terms: Net 30 days with approved credit.
- Special orders and Teppanyaki griddle orders, 50% deposit and customer approval of Keating drawing are required prior to release for production. Invoice must be paid in full prior to shipment.
- Price applies to all goods ordered for immediate shipment. Call for price quotation on future deliveries.
- Individual accessories which are omitted from equipment orders are deducted at 60% of the list price of the accessory. The list price of an accessory includes the cost of handling, packaging, etc. as individual orders — this is the reason for the differential deduction.

#### PRICES F.O.B. FACTORY

#### DELIVERY TIME

- In-stock orders will be shipped immediately. Allow 2-4 weeks for out-of-stock orders.
- Schedule dates will be acknowledged by the factory.

#### FREIGHT

- Shipped Class 85. NOTE: Ship weights are for single units without optional accessories. Actual weights will vary depending on customizing and accessories. In addition, shipping charges are subject to weight minimums by the carrier.
- All shipments via common carrier will ship collect or 3rd Party. No pre-pay and add. No free freight.
- Contact your carrier for freight quotations.

**KEATING** 

## **RETURNS & CANCELLATIONS**

- All returns must have a Return Merchandise Authorization number in order to be processed.
- No returns will be accepted without a Return Merchandise Authorization.
   Contact our Customer Service department at 4 800 KEATING for a Deturn Merchand
- Contact our **Customer Service department at 1-800-KEATING** for a Return Merchandise Authorization number and shipping instructions.
- Return Merchandise Authorization numbers are valid for 30 days.
- Unless an item is defective, all returns must be shipped prepaid within 30 days from date of the Return Merchandise Authorization
- number, in new, unused condition and are subject to inspection for damage or misuse prior to issuance of a credit or refund.
- Returns that are not the result of manufacturer error may be subject to a 20% restocking charge to be determined at the time of return.
- Returned items **must** be new in original crate.
- Shipped drop-in equipment and Teppanyaki griddles are not returnable.
- Custom manufactured, special orders and used items are not returnable.
- Custom equipment is **not** cancellable.
- Absolutely no returns of equipment more than 1 year after original shipment.
- Unauthorized returns will not be credited. Replacement items will be charged to you if defective item is not returned.





• The carrier who delivers merchandise to your door is responsible for loss and damages. Acceptance of the shipment by the transportation company is acknowledgement that the articles delivered (or picked up) by them were in good condition and properly packed.

#### VERY IMPORTANT: Before signing the delivery receipt, inspect for any shortage or damage and note the nature and extent

of the shortage or damage on the freight bill. If concealed damage or noted damage has occurred, save the shipping cartons and packaging. You must request an inspection by the carrier immediately and file a claim after inspection to rectify damages to your product. You may confirm claim damages by certified mail with return receipt requested within 15 days.

Please do not return damaged items as they cannot be accepted without a Merchandise Return Authorization Tag.

Keating of Chicago is a fourthgeneration family-owned manufacturer of commercial kitchen cooking equipment. Since our founding in 1931, we continue to strive to bring you equipment designed to exceed your expectations. All of our



products are proudly designed and built in the USA. Many of our most popular items are currently in stock and ready for immediate shipment, and we are always ready to build a unit to fit your unique requirements.



Visit our comprehensive website to find specification sheets, manuals, literature, product information and much more: keatingofchicago.com

Keating equipment is available in Revit from Kochman Consultants Ltd. (KCL), and AutoQuotes. REVIT

Benefits of using Revit:

- 3-dimensional drawings offer more collaboration between designer and operator
- easier to view the project and create a more functional space
- ability to correct issues or problems early-on in the design phase
- accurate cost information

Visit the "Links" page on our website to access their sites.



Keating equipment is ETL and NSF Approved where applicable.



Keating is a contractor on gsaadvantage.gov



phone: (708) 246-3000 fax: (708) 246-3100 keatingofchicago.com

8901 West 50th Street McCook, IL 60525 USA